

Refine Search

Search Results -

| Terms | Documents |
|---|-----------|
| (two) ADJ (calibration) adj (board) and (scan\$4) | 2 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L12

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, February 16, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|--------------------------------------|---|----------------------------|--|
| side by side | | | |
| <i>DB=PGPB,USPT; PLUR=YES; OP=OR</i> | | | |
| <u>L12</u> | (two) ADJ (calibration) adj (board) and (scan\$4) | 2 | <u>L12</u> |
| <u>L11</u> | (two) ADJ (calibration) adj (board) and (scan\$4) | 2 | <u>L11</u> |
| <u>L10</u> | (two) ADJ (calibration) adj (board) | 2 | <u>L10</u> |
| <u>L9</u> | L8 and 358/\$.ccls. | 2 | <u>L9</u> |
| <u>L8</u> | (two) near5 (calibration) near5 (board or plate) | 134 | <u>L8</u> |
| <u>L7</u> | L6 and L5 | 14 | <u>L7</u> |
| <u>L6</u> | (two or many or several) near5 (calibration) near5 (board or reference or mark or plate) | 751 | <u>L6</u> |
| <u>L5</u> | (calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor) | 2402 | <u>L5</u> |
| <u>L4</u> | L2 and 358/474.ccls. | 68 | <u>L4</u> |
| <u>L3</u> | L2 and 358/\$.ccls. | 294 | <u>L3</u> |

Search Forms
 Search Results
 Help
 User Searches
 Preferences
 Logout

Refine Search

Search Results -

| Terms | Documents |
|---------------------|-----------|
| L2 and 358/\$.ccls. | 294 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L3

Refine Search

Recall Text 

Clear

Interrupt

Search History

DATE: Wednesday, February 16, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|--------------------------------------|--|----------------------------|--|
| <i>DB=PGPB,USPT; PLUR=YES; OP=OR</i> | | | |
| <u>L3</u> | L2 and 358/\$.ccls. (calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor) | 294 | <u>L3</u> |
| <u>L2</u> | (calibrat\$3 or correct\$3 or adjust\$4 or compensat\$4 or compar\$3 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor) | 2402 | <u>L2</u> |
| <u>L1</u> | | 3198 | <u>L1</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents |
|-----------|-----------|
| L2 and L1 | 27 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L3

Search History

DATE: Tuesday, February 15, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|--------------------------------------|--|----------------------------|---|
| <i>DB=PGPB,USPT; PLUR=YES; OP=OR</i> | | | |
| <u>L3</u> | L2 and L1 | 27 | <u>L3</u> |
| <u>L2</u> | (detect\$4 or determin\$3 or designat\$3) near10 (calibration or adjust\$3 or correction) near10 (reference adj plate or board) | 817 | <u>L2</u> |
| <u>L1</u> | (compensat\$3 or adjust\$3 or correct\$3 or determin\$3) near10 (image or document or sheet) adj (scan\$4 or read\$4 or CCD or sensor) | 5703 | <u>L1</u> |

END OF SEARCH HISTORY

Freeform Search

| | |
|---|---|
| Database: | <div style="background-color: black; color: white; padding: 2px;">US Pre-Grant Publication Full-Text Database</div> <div style="background-color: black; color: white; padding: 2px;">US Patents Full-Text Database</div> <div style="padding: 2px;">US OCR Full-Text Database</div> <div style="padding: 2px;">EPO Abstracts Database</div> <div style="padding: 2px;">JPO Abstracts Database</div> <div style="padding: 2px;">Derwent World Patents Index</div> <div style="padding: 2px;">IBM Technical Disclosure Bulletins</div> |
| Term: | L10 and L8 |
| Display: | <div style="border: 1px solid black; width: 50px; text-align: center;">10</div> Documents in Display Format: <div style="border: 1px solid black; width: 50px; text-align: center;">-</div> Starting with Number <div style="border: 1px solid black; width: 50px; text-align: center;">1</div> |
| Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image | |

Search

Clear

Interrupt

Search History

DATE: Tuesday, February 15, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|--|----------------------------|--|
| side by side | | |
| <i>DB=USPT; PLUR=YES; OP=OR</i> | | |
| <u>L12</u> L10 AND l8 and L9 | 0 | <u>L12</u> |
| <i>DB=PGPB, USPT; PLUR=YES; OP=OR</i> | | |
| <u>L11</u> L10 and L8 | 3 | <u>L11</u> |
| <u>L10</u> (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) same (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) | 18 | <u>L10</u> |
| <u>L9</u> (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) | 7 | <u>L9</u> |
| <u>L8</u> (scan\$4 or read\$4 or sensor or CCD) and (image or document or paper) | 834581 | <u>L8</u> |
| <u>L7</u> (scan\$4 or read\$4 or sensor or CCD) and (image or document or paper) and (calibration adj boards) and (platform or substrate or platen) | 0 | <u>L7</u> |
| <u>L6</u> (scan\$4 or read\$4 or sensor or CCD) and (image or document or paper) same (calibration adj boards) and (platform or substrate or platen) | 0 | <u>L6</u> |
| <u>L5</u> (scan\$4 or read\$4 or sensor or CCD) and (image or document or paper) same (calibration adj boards) and (platform or substrate or platen) same (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) | 0 | <u>L5</u> |

| | | | |
|-----------------|---|---------|-----------|
| . . . <u>L4</u> | (scan\$4 or read\$4 or sensor or CCD) | 2531182 | <u>L4</u> |
| <u>L3</u> | (calbiration adj boards) and (platform or substrate or platen) same (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) same (scan\$4 or read\$4 or sensor or CCD) | 0 | <u>L3</u> |
| <u>L2</u> | (calbiration adj boards) and (platform or substrate) near10 (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) same (scan\$4 or read\$4 or sensor or CCD) | 0 | <u>L2</u> |
| <u>L1</u> | (calbiration adj boards) near10 (platform or substrate) near10 (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) same (scan\$4 or read\$4 or sensor or CCD) | 0 | <u>L1</u> |

END OF SEARCH HISTORY

Freeform Search

| | |
|------------------|--|
| Database: | US Pre-Grant Publication Full-Text Database |
| | US Patents Full-Text Database |
| | US OCR Full-Text Database |
| | EPO Abstracts Database |
| | JPO Abstracts Database |
| | Derwent World Patents Index |
| | IBM Technical Disclosure Bulletins |

| | |
|--------------|-----------|
| Term: | L6 and L5 |
|--------------|-----------|

| | | | | | |
|-----------------|---------------------------------|-------------------------------------|--------------------------------|-----------------------------|--------------------------------|
| Display: | <input type="text" value="10"/> | Documents in Display Format: | <input type="text" value="-"/> | Starting with Number | <input type="text" value="1"/> |
|-----------------|---------------------------------|-------------------------------------|--------------------------------|-----------------------------|--------------------------------|

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Wednesday, February 16, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|---------------------------|--|----------------------------|--|
| side by side | | | |
| | <i>DB=PGPB,USPT; PLUR=YES; OP=OR</i> | | |
| <u>L7</u> | L6 and L5 | 14 | <u>L7</u> |
| <u>L6</u> | (two or many or several) near5 (calibration) near5 (board or reference or mark or plate) | 751 | <u>L6</u> |
| <u>L5</u> | (calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj. deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor) | 2402 | <u>L5</u> |
| <u>L4</u> | L2 and 358/474.ccls. | 68 | <u>L4</u> |
| <u>L3</u> | L2 and 358/\$.ccls. | 294 | <u>L3</u> |
| <u>L2</u> | (calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor) | 2402 | <u>L2</u> |
| <u>L1</u> | (calibrat\$3 or correct\$3 or adjust\$4 or compensat\$4 or compar\$3 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor) | 3198 | <u>L1</u> |

END OF SEARCH HISTORY

| | | | |
|-----------|--|------|-----------|
| <u>L2</u> | (calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor) | 2402 | <u>L2</u> |
| <u>L1</u> | (calibrat\$3 or correct\$3 or adjust\$4 or compensat\$4 or compar\$3 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor) | 3198 | <u>L1</u> |

END OF SEARCH HISTORY

~~Q~~

calibrat\$3 near5 strip